The Genuine. The Original.

WindStorm[™] wind load rated door system selection guide

The Genuine. The Original.



The genuine. The original. That's Overhead Door. We invented the first upward-lifting garage door in 1921 and the first electric door opener in 1926. Today, we continue to set standards in the industry with quality construction and designer details that add value and beauty to any home.

We've included information to help you choose the door system that's best for your architecture, your lifestyle and your climate. Should you have any questions of your own, however, simply contact the real authority: the Overhead Door Red Ribbon Distributor. Our authorized Red Ribbon Distributors are part of a nationwide network of sales and service professionals who share the Overhead Door name and Red Ribbon trademark – as well as our commitment to quality and service.

Call 1-800-929-DOOR to contact an Overhead Door Red Ribbon Distributor near you.

www.OverheadDoor.com

What to consider when choosing a door to best suit your needs:

Style

Whether your home is classic or contemporary,
Overhead Door offers styles to best complement your
home's architecture. For a distinctive, custom look,
choose insulated steel doors from our elegant Courtyard
Collection®, Thermacore® or Impression Collection™
or the custom fine wood doors of the Signature™
Carriage Collection.

Appearance

To further individualize your door and enhance the look of your home, we offer numerous options, including a variety of windows, glass, decorative hardware and colors.

Safety

If you have children or pets, we recommend a door with enhanced safety features. Our Impression Collection™ doors provide peace of mind with pinch-resistant panels that help protect fingers. If you live in an area that is prone to high winds, our WindStorm™ doors provide reliable protection against high wind damage and offer fine craftsmanship, durability and style.

Comfort

If you live in a climate with extreme hot or cold temperatures, we recommend a well-insulated, energy-efficient door to ensure your comfort. Some of our insulated doors, including the Courtyard Collection® and Thermacore®, also feature a steel backing that lends a finished, clean look to your garage's interior.

Environment

We are committed to helping sustain our planet. The steel we use to manufacture our doors has 60% recycled content. The aluminum we use for extrusions has nearly 30% recycled content and the glass used in our doors has over 25% recycled content.

Our Thermacore® Collection is insulated to an R-value of up to 17.5 for optimal energy-efficiency. Additionally, the overlays on our Courtyard Collection® doors are made from recycled wood byproducts.

Reliable protection against high winds and wind-borne debris

As the largest point of entry, your garage door offers the largest opportunity for high-pressure destruction. That's why when high winds hit, a reinforced garage door is one of your home's – and your family's – most important safeguards against nature's fury. Only WindStorm™ rated doors from Overhead Door not only provide reliable protection against high wind damage, but also deliver door products that feature fine craftsmanship, trouble-free performance, lasting durability and eye-catching curb appeal.


Designed for strength and stability

- Stringently tested to meet wind load requirements*
- Optional impact rating on select door models
- Reinforced hardware throughout door
- · Additional horizontal bracing for further reinforcement
- Optional impact rated glass for additional safety and protection
- Insulated door system designs provide energy efficiencies
- Various door system designs to meet door size requirements, wind zone, exposure categories as well as aesthetics



^{*} Refer to wind load design standards chart on page 7 for door model and applicable code requirements. Wind load and impact resistance requirements vary by region. Please contact your local Overhead Door Red Ribbon Distributor for more information.

Wind-structure interaction



- High winds first create pressure against the windward side of the structure
- During high wind events, debris can become powerful projectiles that can damage the garage door. Reducing the door's ability to protect the home against damaging winds
- 3 Pressure increases and speeds up when the wind moves around the corner and down the side of the building
- Garage doors with no reinforcement can buckle under the pressure, giving the high winds access to the interior of the structure
- This often results in the roof members and wall panels being blown apart, allowing rain, wind and debris to have easy access inside

WindStorm™ Wind Load-Rated System

Garage doors

Designed to protect your family and property

- Wind load door systems designed to meet local building requirements for wind speed to accommodate the needs of the windy city of Chicago to a Category 5 hurricane in Miami.*
- Additional wind load options that meet impact/cyclic tests required for insurance, may qualify the homeowner for insurance discounts.
- ➤ Overhead Door has a breadth of stylish wind load rated door systems from wood doors to premium insulated doors, to include impact-rated glass windows. These products will meet the protection levels you demand to keep your family and property safe.

Protection against wind and weather

Overhead Door created an exclusive line of innovative wind load garage doors, fashioned to withstand nature's power and keep your family and possessions safe. Our residential wind load options provide superior craftsmanship, durability and trouble-free performance to protect your home against:


- Hurricanes
- High-wind damages
- Internal and external pressure changes
- Wind-borne debris

Meets or exceeds requirements

Overhead Door offers door systems that meet or exceed the following building codes or approval agency standards:

- International Code Council
- Florida Building Commission
- Miami-Dade Building Code Compliance Office
- Texas Department of Insurance

^{*} Category 5 is defined as a 3-second gust of 195 mph. As calculated according to ASCE 7-05 with assumptions in DASMA 155k for a 10' x 10' door with roof pitch of 10 degrees and exposure of 1.0.



Traditional Steel

Essential garage doors

Every Traditional Steel garage door combines Overhead Door's legendary performance and durability with our best value.

Panel style

Our Traditional Steel Doors feature a simulated woodgrain embossment to enhance the appearance of your door. Choose from standard or long panel designs.

170/180 Series only:

Standard panel (S) Long panel (L)







390 Series only:

Standard panel (S) Long panel (L)





Color

All doors are available in the colors shown or can be painted to match your home's décor.*



White[†]









[†]Available on most 390 Series door sizes. ^{††}Called sandstone on 391 & 399 Series. [†]Colors may vary slightly from these shown and may not be available on all individual series. See painting instructions for details.

Decorative hardware

Further individualize your garage door with our distinctive decorative exterior handles and hinges.

For specific hardware details please see page 24. See pages 22 – 23 for window options.

Meets building code/agency requirements

- International Code Council
- Florida Building Commission (static pressure & impact)
- Miami-Dade Building Code Compliance Office
- Texas Department of Insurance





R-Value up to 9.8



Long-term performance, durability and value.



Built better from the inside out



Model series

Series	170 S 171 L 172 V	173 S 174 L 177 V	180 S 181 L 1812 V	183 S 184 L 187 V	391 S 399 L
Polystyrene insulation ¹			•	•	•
R-value ²			7.8	7.8	9.8
Heavy-duty steel ³		•		•	
Backing ⁴			Vinyl	Vinyl	Steel
Warranty	15-year limited	Lifetime limited	20-year limited	Lifetime limited	Lifetime limited
Panel style S – Standard, L – Long, V – V-12					

¹Polystyrene insulation: Refers to lightweight insulation for improved energy efficiency and sound reduction

²R-value: The higher the R-value, the greater the insulating properties.

³Heavy-duty steel: A thicker, more durable and dent-resistant option, designed to withstand additional knocks and bumps from outdoor activity

⁴Backing: Vinyl – For a clean, more finished look and added sound absorption Steel – Interior-side steel backing for strength and finished appearance

Courtyard Collection®

Custom steel garage doors

The Courtyard Collection® combines the classic look of a carriage house door with the value and durability of insulated steel. These doors feature our Thermacore® construction (steel-polyurethane-steel), in your choice of 18 distinctive designs. These doors can include arches and full custom doors. Each door can be wind load-rated to meet your local building codes. Each door has optional hardware and windows available. All Courtyard Collection® doors carry a limited lifetime warranty.*

Select from eighteen distinctive designs

Go ahead. Customize to your heart's content. Our designs are available with or without windows. Base door comes in six colors; frames, window trim and overlays are white or can be color matched to any of our base door colors (160 Series only). Doors may also be painted with acrylic latex paint to match your home's color scheme.**

Tier 1	370 Series	160 Series	Tier 2	370 Series	160 Series	Tier 3	370 Series	160 Series
161B		•	375T/165T	•	•	164A		•
371M/161M	•	•	166T		•	373T/163T		•
371T/161T	•	•	167B		•	377T/167T	•	•
162Z		•	167E ⁺		•	162A		•
166B		•	371A/161A	•	•	168B		•
166E [†]		•	162E		•			
375B/165B	•	•						

Six Standard available colors



The beauty of wood. The durability of steel.



Built better from the inside out



Windows are available with insulated glass and a variety of designs



- † Windows and arches not available on these series.
- * Limited and non-transferable. See warranty for full details.
- ** See painting instructions for details.

Decorative hardware

Further individualize your garage door with our distinctive decorative exterior handles and hinges.

For specific hardware details please see page 24. See pages 22 – 23 for window options.

Meets building code/agency requirements

- International Code Council
- Florida Building Commission (static pressure & impact)
- Texas Department of Insurance







Up to a limited lifetime warranty

Premium insulated garage doors

For premium construction and maximum thermal efficiency, a Thermacore® insulated steel door is the ideal choice. Models feature our sandwich construction of steel-polyurethane-steel and between-section seals with thermal breaks for reduced air infiltration. These doors will give you many years of reliable operation and will help keep your home comfortable in cold and hot climates.

Panel style

Our Thermacore® doors feature wood grain embossment to enhance the appearance of your door. Choose standard or flush panel design.



Standard raised panel



Woodgrain textured flush panel

Color

All doors are available in the colors shown or can be painted to match your home's décor.*



^{*}Colors may vary slightly from these shown and may not be available on all individual series. See painting instructions for details.

Model series

Series	297 (S) 298 (F)	194 (S) 195 (F)	494 (S) 495 (F)	
Polurethane insulation	•	•	•	
R-value	9.31	12.76	17.5	
U-factor	0.24	0.24	0.16	
Steel backing	•	•	•	
Warranty	20-year limited	Lifetime limited	Lifetime limited	
Panel style (S) Standard, (F) Flush				

Premium construction and maximum thermal efficiency.







Durable finish

Hot-dipped galvanized steel with two coats of baked-on polyester paint



Bulb-type bottom weatherseal Guards against wind and rain while

Guards against wind and rain while providing a cushion when closing

See pages 22 – 23 for window options.

Meets building code/agency requirements

- International Code Council
- Florida Building Commission (static pressure & impact)
- Texas Department of Insurance



weatherseal



up to 17.5



Up to a limited lifetime warranty

Impression Collection™

Beautiful exterior. Durable interior.

Impression Collection[™] doors have been magnificently engineered with an artfully molded wood-grain fiberglass surface that conceals its durable steel construction.

Fiberglass exterior utilizes Therma-Tru® AccuGrain™ technology for the beauty of wood without the maintenance. Factory installed powder-coated hardware ensures proper alignment and smoother operation with a clean interior appearance. An R-value of up to 7.6 helps control costly heat loss and gain. This type of insulation can diminish street noise and makes the door quieter as it operates.

Color

Doors are available in ten standard colors.



^{*}Colors may vary slightly from these shown and may not be available on all individual series. See painting instructions for details.

Windows

Window design for horizontal raised panel doors

Window design for vertical raised panel doors



Obscured Glass

To further enhance your door's appearance, choose our obscured glass panels.

Vertical Slat Glass Options

A variety of window designs available to enhance your garage door and home. Available in vertical styling only.



Meets building code/agency requirements

- International Code Council
- Florida Building Commission (static pressure)

Therma-Tru is a registered trademark and AccuGrain is a trademark of Therma-Tru Corporation.

Transform the look of your home with a beautiful door that looks just like real wood but without the maintenance.



Built better from the inside out



Panel Style

The Impression Collection[™] comes in a variety of architectural styles to add beauty and value to your home. Three-section styling on 7' high doors gives a custom design look. Our 8' high doors have four-section styling. All panels have white finished interiors with matching, low-profile hinges.



Horizontal V-groove style



Raised panel vertical style



Raised panel horizontal style



Vertical slat



weatherseal



up to 7.6







Up to a limited 3-year warranty on fiberglass exterior

Durafirm Collection™

Rugged garage doors

With their rugged, thick vinyl skin, the Durafirm Collection™ 870 Series doors are the ideal escape from wood door maintenance and steel door dent and rust worries.

Color

Doors are available in four standard colors.




Privacy Glass

Choose from clear or frosted glass.



Window Trim

A variety of window designs to enhance your garage door and home.



Sunburst 8



Built better from the inside out



Bonded steel, polyurethane and vinyl

provide you with incredible strength, impressive sound absorption and energy efficiency with an R-value of up to 11.75.

Deep raised panels

have rich woodgrain texture for the timeless look of freshly painted hardwood. Available in standard panel style only.

Through-and-through color PVC construction means the color goes all the way through the exterior vinyl skin so scratches are minimized.

UV-resistant resin

contains special polymers that protect your door from the sun's harmful ultraviolet rays.

Twin structural struts of 22-gauge steel C-channels run the full length of each panel and are anchored to interior steel stiles for strength.

Warranty

15 year limited warranty

Meets building code/ agency requirements

- International Code Council
- Florida Building Commission (static pressure)



weatherseal



up to 11.75



Modern Aluminum Collection

Sleek, sophisticated garage doors

Go ahead - indulge your sense of design and innovation with a garage door that sets your home apart. Our Modern Aluminum Collection combines glass and aluminum for unparalleled visual style, strength and light infiltration. It's a unique solution for your extraordinary home.

Heavy-duty frame

The 521 Series frame is a wide, heavy-duty frame and it offers an array of frame finishes and special custom options in door sizes up to 20' wide. The 521 Series can also be fitted to meet wind load building requirements.

Aluminum product color palette

The color palette for the Modern Aluminum Collection includes 197 powder coat finishes. Clear anodized finish is standard.






A unique contemporary look to set your home apart.



Built better from the inside out



Glass

Modern Aluminum Collection offers an array of glass choices, including double strength, tempered, insulated, frosted, mirrored and tinted glass. Light-filtering glass is also available to add style while maintaining privacy.





Frosted

Mirrored

Meets building code/agency requirements

- International Code Council
- Florida Building Commission (static pressure)



weatherseal



Up to a limited 1-year warranty

Signature™ Carriage Collection

Premium wood garage doors


Fine woods and precision Amish craftsmanship make each Signature™ Carriage Collection door an architectural work of art. Choose from classic designs, available in 3-section, 4-section or custom styles. You can also design your own door to match your home's architectural style. Optional decorative hardware (pg. 24) adds the finishing touch.

Select from classic design patterns

580 Pattern Styles (shown with optional glass top section)



570 Pattern Styles (shown with optional glass top section)



560 Pattern Styles



Full custom door




Design your own beautiful wood garage door built to match the architectural style of your home. Custom-made window options give it the finishing touch.

Send your drawings to your local Overhead Door Red Ribbon Distributor for your custom price quote.

Transform the look of your home with a beautiful custom-crafted wood door.







Paint or stain Available in paintgrade or stain grade wood.



Durable construction Heavy-duty track and hardware.



weatherseal







Up to a limited 1-year warranty

Meets building code/agency requirements

• International Code Council

Glass and decorative trim

Decorative trim windows come standard with double strength glass, or choose from our optional glass upgrades including tempered glass, clear Lexan®, solar bronze and insulated glass (in select door series). Available in standard and long (ranch) styles.

Standard









Lexan is a registered trademark of General Electric Company

Impact window options†

Obscured glass

Windows made of clear, impact-resistant polycarbonate are available and are compatible with a variety of decorative trim styles to complement any home design. The polycarbonate has a special scratch resistant coating which also prevents yellowing. All wind load-rated impact options are engineered to meet local area wind load code requirements.

To further enhance your doo obscured glass panels.	or's appearance, choose our
Obscure glass (standard)	Obscure glass (long)

[†]For coastal, windborne debris regions and standard panel size only

Decorative hardware

Further individualize your garage door with our distinctive decorative exterior handles and hinges. Available as optional accessories on our door collections.

Value





Wind load hardware

Overhead Door WindStorm™ doors feature upgraded hardware to make your door stronger against wind storms. Depending on the wind load option selected, the upgraded hardware includes:



- Horizontal reinforcement steel struts
- Upgraded springs
- 3 Heavy-duty track
- 4 Heavy-duty rollers

Designed for performance



Destiny™ 1500 Screw Drive

The ultimate in power, speed and convenience

- 1 HPc**** motor operates almost any garage door quickly and smoothly
- Opening speed of 12 inches per second
- Door Detect™ monitoring system improves overall safety
- Motion detection activates lights



Odyssey[™] 1200 Screw Drive

More power, speed and convenience

- 3/4 HPc*** PowerPlus motor operates almost any garage door quickly and smoothly
- Opening speed of 10 inches per second
- Door Detect[™] monitoring system improves overall safety
- Motion detection activates lights



Destiny[™] 1200 Belt or Chain Drive

Power, speed and convenience

- 3/4 HPc*** PowerPlus motor operates almost any garage door quickly and smoothly
- Opening speed of 9 inches per second
- Door Detect™ monitoring system improves overall safety
- Motion detection activates lights



Odyssey[™] 1000 Belt or Chain Drive

Power and speed

- 3/4 HPc** motor operates almost any garage door quickly and smoothly
- Opening speed of 7.5 inches per
- Door Detect[™] monitoring system improves overall safety



Legacy® 800 Belt or Chain

Value, reliability and power

- 1/2 HPc^{††} Power Plus motor
- DC motor for guiet operation
- Dual-pinion drive gear system for extended durability



Standard Drive® Belt or Chain Value and reliability

- 1/2 HPc[†] motor
- DC motor for quiet operation
- Dual drive chain system delivers reliable performance

^{1/2} Horsepower comparable (HPC) designates that this garage door opener meets Overhead Door's lifting force specifications for 1/2 horsepower garage door openers. 1/2 Horsepower comparable (HPC) PowerPlus designates that this garage door opener exceeds Overhead Door's lifting force specifications for 1/2 horsepower garage door openers 3/4 Horsepower comparable (HPC) designates that this garage door opener meets Overhead Door's lifting force specifications for 3/4 HP garage door openers. 3/4 Horsepower comparable (HPC) PowerPlus designates that this garage door opener exceeds Overhead Door's lifting force specifications for 3/4 HP garage door openers. 1 Horsepower comparable (HPC) designates that this garage door openers. lifting force specifications for 3/4 HP garage door openers.

Industry-leading warranty

Overhead Door garage doors are backed by industry-leading warranties.

All Overhead Door garage doors include a one-year non-transferable, limited warranty ensuring high standards for materials and workmanship.*

*See warranty for full details.

Nationwide distributor network



Table/chart terminology

Polyurethane insulation: Foamed-in-place insulation for superior efficiency and strength, as well as higher R-value.

Polystyrene insulation: Refers to lightweight insulation for improved energy efficiency and sound reduction.

R-value: The higher the R-value, the greater the insulating properties in hot and cold climates.

U-factor: A standardized measure of the rate at which the heat passes through a material. The lower the U-value, the greater the insulating properties.

High tensile strength steel: For added durability and dent resistance.

Backing: Vinyl: For a clean, more finished look and added sound absorption.

Steel: Interior-side steel backing for strength and finished appearance.

The Genuine. The Original.



Overhead Door Corporation 2501 S. State Hwy.121, Suite 200. Lewisville, TX 75067

1-800-929-DOOR • www.OverheadDoor.com Technical Support 1-800-275-6187

©2011 Overhead Door Corporation. Overhead Door and the Ribbon logo are registered trademarks of Overhead Door Corporation. All other trademarks are the property of their rightful owners. Consistent with our policy of continuing product improvements, we reserve the right to change product specification without notice or obligations. R900-941 1M 10/11 JAR